

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	520	photometric with release near4 (button or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:06
L5	2531	stereo near4 camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:04
L8	241	7 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:09
L9	2	8 and active and passive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:10
L11	343	photomet\$5 with release with button with half	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:38
L12	110	11 and control and auto\$1focus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:42
L13	1	12 and variable with angle with prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:39
L14	75	12 and (stereo or pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:57
L15	39	angle with convergence with identical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:02
S3	4556	camera with (stereo or stereoscopic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 10:28

S4	1819	camera with object near8 distance with measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 10:31
S5	4	((camera with (stereo or stereoscopic)) and (camera with (stereo or stereoscopic) same pair with optical)) and (camera with object near8 distance with measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/02 12:46
S6	159	(camera with (stereo or stereoscopic)) and (camera with (stereo or stereoscopic) same pair with optical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 10:37
S8	23	convergence with angle near8 adjustment same control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/02 16:39
S9	97	convergence with angle near8 adjustment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 11:02
S10	159	camera with (stereo or stereoscopic) same pair with optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 10:52
S20	17	convergence near8 angle near8 adjust\$4 with rotat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 17:49
S34	7	pair near8 photograph\$3 same arrang\$3 with common	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 13:27
S35	1073	(camera with (stereo or stereoscopic)) and common	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 13:28
S36	734	((camera with (stereo or stereoscopic)) and common) and plane	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 13:28

S37	632	((camera with (stereo or stereoscopic)) and common) and plane) and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 13:29
S38	298	(((((camera with (stereo or stereoscopic)) and common) and plane) and distance) and measure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 13:29
S39	29653	camera with multiple photograph\$3 near8 optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 13:42
S40	650	(camera with multiple photograph\$3 near8 optical) and (camera with (stereo or stereoscopic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 13:42
S41	6	((camera with multiple photograph\$3 near8 optical) and (camera with (stereo or stereoscopic))) and (convergence with angle near8 adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 15:19
S43	3	pair\$1 with photographi\$2 with optical same common with (body or plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 14:23
S44	1	pair\$1 with image near8 pickup same common with (body or plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 14:26
S57	238	measur\$3 with conversion near8 angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/02 14:05
S58	2	camera and measurement near8 point\$1 same side with field near8 angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/02 14:17
S68	222	pair\$1 same photo\$8 same button same releas\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 15:23

S69	118542	half same press\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 13:41
S70	11	(pair\$1 same photo\$8 same button same releas\$3) and (half same press\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 13:41
S74	1	((pair\$1 same photo\$8 same button same releas\$3) and (half same press\$3)) and passive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 14:13
S75	1309	passive same distance same measur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 14:14
S76	5	(pair\$1 same photo\$8 same button same releas\$3) and (passive same distance same measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 14:14
S90	1039	pair\$1 same photo\$8 same prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 15:24
S91	2	(pair\$1 same photo\$8 same prism) and (passive same distance same measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 15:29
S92	988	variable with angl\$2 with prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 15:30
S93	233473	distance same measur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 15:30
S94	183	(variable with angl\$2 with prism) and (distance same measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 15:31

S95	16018	(stereo\$8 or pair) same photograph\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 15:32
S96	16	((variable with angl\$2 with prism) and (distance same measur\$5)) and ((stereo\$8 or pair) same photograph\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 16:39
S97	5	("4974006" "5192964" "5245378" "5309190" "5477297").PN.	USPAT	OR	ON	2004/01/23 15:36
S98	8246	(passive\$3 or active\$3) same (button or switch) same (press\$3 or depress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/23 16:44
S11 3	924	variable with angle with prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 17:49
S11 4	423	(variable with angle with prism) and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 17:49
S11 5	19	((variable with angle with prism) and camera) and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 17:56
S11 7	4	("6018363" .pn.) and variable and prism and apex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 18:00
S11 8	4	((("6018363" .pn.) and variable and prism and apex) and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 18:09
S12 7	1	("5889553" .pn.) and variable and prism and apex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 18:14

S12 8	110	(variable with angle with prism) and pair and photograph\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 19:50
S12 9	175	passive with active with distance with measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 19:53
S13 0	8	passive with active with (button or switch) with distance with measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 19:54
S13 6	23	pair\$1 with passive with measur\$3 with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/25 21:59
S13 8	289	(variable or adaptive) with apex with angle with prism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:08
S14 0	187	S138 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:07